	Solved Up-to-Date Model	Papers 5	BIOLOGY 9TH
	9	th Class 2015	
В	iology	Group-I	
Ti	me: 15 Minutes	(Objective Type)	Paper-
	ote: Four possible	answers A R C and	DA
1-1	circle in front of Cutting or filling mark in that que	of that question with g two or more circlestion.	nk is correct, fill that Marker or Pen inkers will result in zero
	(2) Corbobade	ory of molecules, de	enzymes belong:
	(a) Carbohydra (c) Lipids	tes (b) Prote	ins 1/
2-		(d) Nucle	ic acid
	enzyme pepsin	compound that ogen into pepsin is	converts inactive
		acid 1/ (b) Water	
	(c) Mucus	(d) Lipase	
3-	oonociiti ation t	of molecules from higher concentra	tion is called.
	(a) Active transp	ort 1/ (b) Osmos	is
	(c) Diffusion	(d) Filtratio	n
4-	Energy present i	n one gram of cart	ohydrates is:
	(a) 4 kilo calories	1 (b) 3 kilo c	alories
5-	(c) 2 kilo calories		alories
	(a) Ticous /	scientific study of	
	(a) Tissues 1/ (c) Cells	(b) Muscles	
6-		(d) Organs	
	(a) Out	lycolysis occurs i	n:
	(a) Cytoplasm 1/	(b) Mitocho	ndria
-	(c) Nucleus	(d) Endonla	smic reticulum
7-	The reproductive	organ of plant is:	Sime rediculum
	1001	(b) Stem	
	(c) Flower 1	(d) Leave	

7-

ШС	Some p-to-Date Model Papers  The division of cytopla	6 Elotogyer
3-	(a) Karyokinesis (c) Phragmoplast	(b) Cytokinesis 1/ (d) Phagocytosis
9-	Who introduced the organisms for the first	system of classification of time:
	(a) Ernst Hackel (c) Carlous Linnaeus	(b) Aristotle 1/ (d) Robert Whittaker
10-	The branch of which curing malaria:	h tree was very suitable for (b) Cinchona 1
	(a) Cedrus (c) Pinus	(d) Cactus
11-	(a) 200-250 gram (c) 250-350 gram 1	n, the weight of heart is:  (b) 150-200 gram  (d) 100-200 gram
12-	The mass of human r (a) 10 µm	ed blood cells is: (b) 9 μm
	(c) 8 μm 1	(d) 7 μ m

and to lite

WIRS Solved U	to-Date Model Papers 7 BIOLOGY 9TH	
	9th Class 2015	SECTION SECTION

Biology Group-I Paper-I
Time: 2.45 Hours (Subjective Type) Marks: 63

(Part-I)

Q.2. Write short answers to any Five (5) question. (10)

(i) Define parasites and give an example.

Parasites:

of living organism.

Parasites are the organisms that take food and shelter from living hosts and, in return, harm them.

Example:

Leech and tapeworm are parasites.

(ii) Differentiate between morphology and anatomy.

Morphology

This branch deals with the study of form and structures

The study of internal structures is called anatomy.

(iii) Define theory and give an example.

The hypotheses that stand the test of time (often tested and never rejected), are called theories. A theory is supported by a great deal of evidence. Hardy-Weinberg law is an example of it.

(iv) Write down two characteristics of good hypothesis.

Two characteristics of good hypothesis:

- 1- It should be a general statement.
- 2- It should be a tentative idea.

(v) Write two points on the importance of biodiversity.

Importance of Biodiversity:

1- Biodiversity provides food for human.

2- Biodiversity plays important role in making and maintaining ecosystems.

Solved Up-to-Date Model Papers 8 Name any four taxa of classification. (vi) Four taxa of classification: Phylum: A phylum is a group of related classes.

TIP

part

Phla

diss

pla

(iv)

A

is

TI

Class: A class is a group of related orders.

Order: An order is a group of related families. Family: A family is a group of related genera.

Define cell cycle.

Ans Cell Cycle:

Cell cycle is the series of events from the time a cell is produced until it completes mitosis and produces new cells. Cell cycle consists of two major phases i.e., interphase and mitotic phase (M phase).

Differentiate between somatic cells and gamete.

Somatic cells are those which form the body of organisms, while germ line cells are those which give rise to gametes. Somatic cells undergo mitosis while germ line cells undergo meiosis.

Q.3. Write short answers to any Five (5) questions. (10) (i)

Write difference between primary and secondary cell

Ans The primary layer of cell wall is called primary wall, which is further strengthened by an additional layer called secondary wall. It is comparatively thicker than primary wall.

(ii) What are Lysosomes? Give their function.

Ans Lysosomes and its function:

These are single-membrane bound organelles. Lysosomes contain strong digestive enzymes and work for the breakdown (digestion) of food and waste materials within cell. During its function, a lysosome fuses with the vacuole that contains the targeted material and its enzymes break down the material.

Write function of xylem and phloem tissues.

Ans Xylem tissue is responsible for the transport of water and dissolved substances from roots to the aerial

- (iv) What is activation energy? Write its role in enzyme action.
- Ans All chemical reactions require activation energy. It is defined as minimum energy required to start a reaction. The need for activation energy acts as a barrier to the beginning of reaction. Enzymes lower such barriers by decreasing the requirement of activation energy. Thus, in the presence of enzymes, reactions proceed at a faster rate.
- (v) What are co-enzymes? Give their function.
- Ans If organic co-factors are loosely attached with enzyme, they are called co-enzymes. Co-enzymes transport chemical groups from one enzyme to another.
- (vi) What is meant by enzyme active site? Give its role in enzyme activity.
- Only a small portion of enzyme molecule is directly involved in catalysis. This catalytic region is known as active site. It recognizes and binds substrate and then carries out reaction.
- (vii) Write a simple and complete equation for the process of photosynthesis.
- Ans A simple general equation for photosynthesis is as follows:

 $6CO_2 + 12H_2O + Light Energy \xrightarrow{Chlorophyll} C_6H_{12}O_6 + 6O_2 + 6H_2O_1$ 

(viii) What is difference between aerobic and anaerobic respiration?

The cellular respiration occurring in the presence of oxygen is called aerobic respiration, while the one that occurs in the absence of oxygen is called anaerobic respiration.

What is meant by dietary fibre? Dietary fibre:

Dietary fibre (also known as "roughage") is the paner of human food that is indigestible. It is found only in plan ar foods and it moves undigested through stomach and small ( intestine and into colon.

OC

What is the function of Iron and Calcium in human d diet?

Calcium is essential for the development a maintenance of bones and teeth. It is also needed for maintaining cell membranes and connective tissues and for the activation of several enzymes. Calcium also aids in blood clotting. Iron plays a major role in oxygen transport and storage. Cellular energy production also requires iron. Iron also supports immune function.

What is diarrhoea? Write its two causes.

Ans Diarrhoea is a condition in which the sufferer has frequent watery, loose bowel movements. This condition may be accompanied by abdominal pain, nausea and vomiting. It occurs when required water is not absorbed in blood from colon. The main cause of diarrhoea includes lack of adequate safe water. Diarrhoea is also caused by viral or bacterial infections of large intestine.

Patients bleed from the nose, gums and under the (v) skin in dengue fever. Give reason.

Ans In dengue fever, there is a sharp decrease in the number of platelets in blood. Because of this, patients bleed from the nose, gums and under the skin.

TIPS Solved Up-to-Date Model Papers 11

Define myocardial infarction.

Myocardial Infarction: The term myocardial infarction is derived from hen myocardium (the heart muscle) and infarction (tissue to death). It is more commonly known as a heart attack. It occurs when blood supply to a part of heart is interrupted and leads the death of heart muscles. Heart attack may be caused by blood clot in coronary arteries. It is a medical emergency, and the leading cause of death for both men and women all over the world.

Write causes of cardiovascular disorders.

The risk factors that lead to cardiovascular disorders include advanced age, diabetes, high blood concentration of low-density lipids (e.g. cholesterol) and triglycerides, tobacco smoking, high blood pressure (hypertension), obesity and sedentary lifestyle.

(viii) Differentiate between pericardium and pericardial fluid.

Heart is enclosed in a sac known as pericardium. There is a fluid, known as pericardial fluid, between pericardium and heart walls. It reduces friction between pericardium and heart, during heart contractions.

(ix) Why O blood group individuals are called universal donors?

Ans o blood group individuals are called universal donors because both antigens A and B are absent in their blood. Therefore, they can donate blood to the recipients of every other blood group.

(Part-II)

Note: Attempt any Three (3) questions.

Q.5.(a) Describe the significance of binomial nomenclature with examples.

Ans The method of giving scientific names to living organisms is called as 'binomial nomenclature'. According

TIPS Solved Up-to-Date Model Papers 12

BIOLOGY 9TH to this method, each organism has two words name. The first of which is genus while the second is the name of the species. Binomial nomenclature was first introduced by Importance of Binomial Nomenclature:

The same organism has different names at the samei) place or at different places. For example, 'piaz' havii) different names like onion, gandah, bassal, vassal etc. in different parts of the same country. However, its scientificiii name is 'Allium cepa' which is acceptable everywhereb throughout the world. The common names have no scientific basis. For example, fish is a vertebrate and have different names like starfish, cray fish, silver fish and so on. These names produce confusion. So to avoid confusion, scientific names are given to the organisms.

(b) Write a comprehensive note on farming and Ans Farming:

It deals with the development and maintenance of different types of farm. For example in some farms animal breeding technologies are used for the production of animals which are better protein and milk source. In poultry farms chicken and eggs are produced. Similarly in fruit farms, different fruit yielding plants are grown. A student who has gone through the professional course of agriculture, animal husbandry or fisheries etc. can adopt this profession. Forestry:


In forestry, professionals look after natural forests and advise to the government for planting and growing artificial forests. Many universities offer professional courses in forestry after the higher secondary education in biology or after bachelor level study of zoology and botany.

Cell membrane is mainly composed of proteins and ipids with small quantities of carbohydrates. Electron nicroscopic examinations of cell membranes have led to he development of fluid-mosaic model of cell membrane.

According to this model, there is a lipid bilayer in which the protein molecules are embedded. The lipid bilayer gives fluidity and elasticity to membranes. Small amounts of carbohydrates are also found in cell membranes. These are joined with proteins or lipids of membrane. In eukaryotic cells, cholesterol is also present in lipid bilayer.

In eukaryotic cell many organelles e.g., mitochondria, chloroplasts, Golgi apparatus, and endoplasmic reticulum

are also bounded by cell membranes.



### 2- Marasmus:

Marasmus usually develops between the ages of six months and one year. Patients lose all their body fat and muscle strength, and acquire a skeletal appearance. Children with marasmus show poor growth and look small for their age.

ym

only

sug

the

aw

ex

(b) Describe digestion and absorption in small intestine. (4)

# Digestion and absorption in small Intestine: Duodenum:

Duodenum comprises of the first 10 inches (25 cm of small intestine and it is the part of alimentary cana where most of the digestive process occurs. Here, food it further mixed with 3 different secretions:

### 1- Bile:

Bile from liver helps in the digestion of lipids through emulsification i.e., by keeping the lipid droplets separate from one another.

# 2- Pancreatic juice:

Pancreatic juice from pancreas contains enzymes trypsin, pancreatic amylase and lipase which digest proteins, carbohydrates and lipids respectively.

## 3- Intestinal juice:

Intestinal juice from intestine walls contains many enzymes for the complete digestion of all kinds of food.

Next to the duodenum is 2.4 meters long jejunum. It is concerned with the rest of the digestion of proteins, carbohydrates and lipids of our bite.

Last 3.5 meters long part of small intestine is ileum. It is concerned with the absorption of digested food. There are circular folds in the inner wall of ileum. These folds have numerous finger-like projections called villi (singular: villus). Villi increase the surface area of the inner walls and help a lot in the absorption of digested food. Each villus is richly supplied with blood capillaries and a vessel of

BIOLOGY 9TH

TIPS Solved Up-to-Date Model Papers 17 lymphatic system, called lacteal. The walls of villus are only single-cell thick. The digested molecules i.e., simple sugars and amino acids are absorbed from intestine into the blood capillaries present in villi. Blood carries them away from small intestine via the hepatic portal vein and goes to liver for filtering. Here, toxins are removed and extra food is stored.

Q.9.(a) Compare photosynthesis and respiration.


200	-10	NOS	500	B.	
8	Æ	п	v	2	胁
и.	a	н		-)	r
Stell	1000				

Characteristics	Photosynthesis	Respiration
Metabolism	Anabolism	Catabolism
Energy investment / production:	Investment of light energy to store it in the form of bond energy.	Bond energy transformed into chemical energy of ATP.
Organisms capable of:	Some bacteriá, all algae all plants.	All organisms
Site of occurrence:	Chloroplasts	In cytoplasm and mitochondria
Time of occurrence:	In daytime only, in the presence of light.	All the time

Where red blood cells are formed in human? Describe their structure and function.


Red Blood Cells (Erythrocytes):

These are the most numerous of blood cells. A cubic millimeter of blood contains 5 to 5.5 million of RBCs in males, and 4 to 4.5 million in females. When RBCs are formed, they have nucleus. In mammals, when a red blood cell matures, its nucleus is lost. After the loss of nucleus, RBC enters blood. About 95% of the cytoplasm of RBCs is filled with hemoglobin, which transports O2 and small amounts of CO<sub>2</sub>. The remaining 5% consists of enzymes, salts and other proteins. RBCs are biconcave and have an elastic cell membrane. In the embryonic and foetal life,



- 2. Add potassium hydroxide solution into the wide mouth bottle (KOH will absorb all the CO<sub>2</sub> present in the bottle).
- 3. Cut a cork lengthwise into two pieces.
- Pass leaf of the potted plant (without detaching) through the cut section of the cork in such a way that half portion of the leaf remains out of the bottle.
- 5. Make the apparatus airtight by applying vaseline on the cuttings of cork.
- 6. Place the apparatus in bright sunlight for a few hours for photosynthesis.
- 7. Remove this leaf from the plant.
- 8. Apply starch test to the leaf.
- (ii) You examined the process of photosynthesis using aquatic plant hydrilla. Draw the diagram of the experiment. (2)

Ans



Experiment setup to demonstrate photosynthesis in an aquatic plant.

C-(i) You have observed iodine test for non-reducing sugar. Write its procedure. (3)

## Ans lodine test for Starch:

- Take 2 ml of starch solution in a test tube and pour few drops of lodine solution to it.
- Record observation of the reaction.