## MATHEMATICS

Time: 2 1/2 Hours 10th Clas Karach Bund Max. Marks: 60

## SECTION B (SHORT ANSWER QUESTIONS)(36)

NOTE: A Mempt 9 questions from this Section.

If  $A = \{1, 2, 3, 4, 5, 6, 7, 8\}$  and  $B = \{2, 4, 6, 8, 10\}$  then prove that:  $A \triangle B = (A \cap B) - (A \cup B)$ 

(ii) Simplify: 
$$\left(\frac{a^x}{a^y}\right)^{x+y} x \left(\frac{a^y}{a^z}\right)^{y+z} x \left(\frac{a^z}{a^x}\right)^{z+x}$$

- Find the value of the following with the helpof (iii) 57.26 <sup>3</sup>√0.382 logarithmic table:
- Find the value of  $x^3 + y^3$  when x + y = -5 and xy = 8. 3.(i)
- Find the solution set of the following equation and also (ii) verify the answer  $\sqrt{25y-6+4\sqrt{y+3}}$
- For what values of a and b.  $x^4 + 4x^3 + 10x^2 + ax + b$  will (iii) be a perfect square?
- Solve triangle ACB when m∠C = 90°, c= Bcm, b=4√3 cm 4.(i)
- (iii) Eliminate 'x' from the following equation:

$$x + \frac{1}{4} = 2p, \ x - \frac{1}{x} = 2q + 1$$

- If  $A = \begin{bmatrix} 3 & 2 \\ 5 & 4 \end{bmatrix}$  then that  $A \cdot A^{-1} = 1$ (iii)
- " F T mai intersects two coplanar lines such that the pair of alternate angles are congruent, then the lines are parallel. Prove it.
- $\frac{\sin\theta}{1-\cos\theta} = \frac{1+\cos\theta}{\sin\theta}$ (ii)Prove that:
- (iii) Find the factors with the help of Remainder Theorem.  $X3 - 4x^2 + 5x - 2$

- 6.(i) Find the variance of the following observations: X = 11, 13, 25, 15, 12, 18, 17, 23, 20, 16
- If a:b = c:d then prove that  $\frac{a^2 + b^2}{a^2 b^2} = \frac{ac + bd}{ac bd}$ (ii) (iii)
- The measure of a central angle of a minor arc of a circle is double that of the inscribed angle of the corresponding major arc. Prove it. SECTION C (DETAILED-ANSWER QUESTIONS)(24)

## Attempt 3 questions from this Saction

including the compulsory question No 7 In a correspondence de training if three sides of 7.

- one triangle are full to the corresponding three sides of the part, the two triangles are congruent. Proto 15 Find the solution set of the following equations 8.
- graphically. (Find four ordered pairs for each equation) 4x - y - 10 = 0; 3x + 5y - 19 = 0If one pair of opposite sides of a quadrilateral are 9.(a)
- congruent and parallel, it is a parallelogram. Prove it. One and only one circle can pass through three non-(b)
- collinear points. Prove it. Factorize the following: 10. (ii)  $5x^2 - 13x - 6$
- (i)  $4a^4 + 325b^4$

11.

- (iii)  $27x^3 1 + 8y^6 + 18xy^2$  (iv)  $x^6 y^6$ The distance between two points P and Q is 7.5 cm. With
- the centre P, draw a circle of radius 4.5 cm. From the point Q draw a tangent to the circle. Measure the segment of the tangent. Also write steps of construction.